

## J 100



### PRODUCT DESCRIPTION

The J 100 juice extractor is designed to make large quantities of ultra-fresh juice from any type of fruits and vegetables in just a few seconds. Equipped with a continuous pulp ejection container for greater user comfort. Sloping base for optimum evacuation of juice and large drip catcher tray for self-service. No heating of ingredients. Vitamins are preserved.

### TECHNICAL DATA

<b>Power</b>	1 000 W
<b>Electrical data</b>	230V/50Hz/1ph - 8 Amp. Single Phase - Plug supplied
<b>Speed</b>	3 000 rpm
<b>Dimensions (WxDxH)</b>	262 x 566 x 62 mm
<b>Weight</b>	15.6 Kg
<b>Rate of recyclability</b>	95 %
<b>Reference</b>	56100B

Juice extraction rate per hour

160 Litres

A glass of ultra-fresh juice in just 7 seconds


### PRODUCT FEATURES

- Induction direct drive motor for intensive use
- Very powerful, heavy-duty motor so quiet it can be used in front of the customer
- Stainless steel bowl and motor unit
- Magnetic safety device and motor brake
- All-metal juicer boasting our Auto Feed system (Ø 79 mm = whole apple) for continuous throughput
- Stainless-steel juicer basket, grating disc and filter for easy cleaning and aftercare
- Useful height under spout:
  - long spout: 247 mm: ideal with a blender bowl
  - short spout: 205 mm: ideal with a jug or glass
- Two ways of using the juicer:
  - continuous pulp ejection with the pulp ejection collector. Enables pulp to be continually ejected under the counter top
  - pulp ejected goes into a 7.2 litre large capacity container with translucent sides.

### STANDARD ACCESSORIES

- Basket Ref # 49507
- Pulp collector Ref # 39513

### DRAWINGS AND DIMENSIONS



### STANDARDS

EN 12100-1 and 2 - 2004, EN 60204-1 - 2006,  
EN 1678-1998, EN 60529-2000: IP 55 and IP 34



Hole to be cut in worktop: Ø 100 mm